Pterygium Surgery Post-operative Care & Advice













2 Put on eye shield (while sleeping for 2 weeks)



3 Perform eye cleaning (1 week)



4 No food restrictions



5 Able to drive (after 1 week)



6 Wear sunglasses when outdoors (2 weeks)



7 Allowed to travel (unless otherwise instructed)



8 Can watch TV



9 Can do computer work



Can do near work (e.g. reading / writing / needlework)





11 Shower / bathe but avoid water entering eye



12 Simple cooking is fine (no deep frying)



13 Use your eyes!



1 Don't rub / press on eye



2 Don't apply make-up (1 month)



3 Don't splash water into the eye (1 month)



4 Don't bend forward and do heavy lifting (2 weeks)





5 Avoid exercising and contact sports (1 month)







6 Avoid swimming (1 month)



Avoid crowded and dusty environment (1 month)



8 Avoid strenuous work (2 weeks)



9 Avoid gardening (1 month)



10 Don't remove bandage contact lens on your own



IMPORTANT INFORMATION:

- Following pterygium operation, you may experience :
 - Soreness and pain for the first 24-48 hours over the eye or eyelid
 - Itchy / sticky eye / gritty feeling / "sandy" feeling and blurry vision
 - Eye may be red for about 2-6 weeks
 - Tearing is common for the first 1-2 weeks

- Should you experience or notice any of the following symptoms, please seek medical attention immediately:
 - Increased tearing
 - Redness of the eye
 - Sudden drop in vision
 - Sudden pain and discomfort of the eye
- You may contact SNEC for assistance at the following numbers:
 - During office hours at 6227 7266 (Appointments)
 - After office hours at 6532 4865 (Answering Service)

For urgent consultation after office hours, Sundays and Public Holidays, please proceed to Singapore General Hospital Accident and Emergency Department (SGH A&E), which is located at Block 1.

Singapore National Eye Centre

11 Third Hospital Avenue, Singapore 168751

Appointments: (65) 6227 7266 Email: appointments@snec.com.sg Website: www.snec.com.sg

