Strabismus Surgery Post-operative Care & Advice






Use all medications as prescribed.

For eye drops, allow interval of 5 minutes between eye drops









2 Perform eye cleaning for 2 weeks. Clean operated eye gently with sterile saline solution and cotton balls







3 Shower / bathe but avoid water entering eye



4 Bring all medications for follow-up visit



5 Bring your glasses (far and near) for all appointments





1 Don't cut or dye hair (1-2 weeks)



2 No contact lens until instructions given by doctor



3 Don't apply make-up (8 weeks)



4 Avoid swimming (6 weeks)



5 No strenuous exercise (1 month)







6 Avoid crowded or dusty malls



IMPORTANT INFORMATION:

- Should you experience or notice any of the following symptoms, please seek medical attention immediately:
 - Pain that is not relieved by medication
 - Severe swelling of the eye
 - Excessive eye discharge
 - Any sudden loss of vision
- You may contact SNEC for assistance at the following numbers:
 - During office hours at 6227 7266 (Appointments)
 - After office hours at 6532 4865 (Answering Service)

For urgent consultation after office hours, Sundays and Public Holidays, please proceed to Singapore General Hospital Accident and Emergency Department (SGH A&E), which is located at Block 1.

Singapore National Eye Centre

11 Third Hospital Avenue, Singapore 168751

Appointments: (65) 6227 7266 Email: appointments@snec.com.sg Website: www.snec.com.sg

