Pre-Operative Fasting Instructions

Depending on the type of surgical procedure you will be having and the time of your surgery, you are required to fast for a specific period of time before surgery. Having an empty stomach before surgery decreases the risks of anaesthesia and prevents complications during surgery, hence it is very important to follow this instruction.

You can brush your teeth in the morning, but do not swallow water after rinsing your mouth. Should you eat or drink before your surgery, please inform the nurse or doctor immediately.

If you fail to follow the fasting guidelines, your surgery may be cancelled or delayed.

E TE 17 Outram MRT EW 16 Outram MRT Eu Tong Sen St Outram Rd Rest Outram Block 6 Block 3 Block 2 Block 1 A&E Legend MRT Station Opp Outram Park Stn Bus No. 33, 63, 75, 121. Outram Park Stn/Outram Rd Bus No. 33, 63, 75, 121, 122, 174 Taxi Stand 22, 174, 174e, 851, 970 174e 851 970 EW East West Line North East Line Outram Park Stn Exit F Bus No. 61, 124, 143, 147, TE Thomson-East Coast Line I66 197 961 961M Shuttle Bus Service Mon to Fri (8.00am - 7.00pm) Sat (8.00am - 2.00pm)

Location Map

This patient information leaflet is a general guide to help patients understand specific eye conditions, treatment or tests. The information does not replace the need for individual advice from an ophthalmologist. Please consult your ophthalmologist regarding your specific eye condition and/or concerns.

The contents of this leaflet are not to be produced in any form without the prior permission of the Singapore National Eye Centre.

Information correct at date of print (May 2023) Singapore National Eye Centre Company Registration No. 198900840W

Singapore National Eye Centre

11 Third Hospital Avenue, Singapore 168751 Appointments: (65) 6227 7266 Fax: (65) 6226 1884 Email: appointments@snec.com.sg Website: www.snec.com.sg






PRE-OPERATIVE FASTING INSTRUCTIONS



Medication

If you take prescription medicine, you should check with the nurse ahead of time as some medications should be continued right up to immediately before surgery, and others (e.g. diabetic medicine) may need to be stopped on the day of surgery. Generally, medications taken with a sip of water before surgery do not increase the risk of anaesthesia. It is important that you read and follow this set of fasting instructions carefully before your surgery.



NO OTHER BEVERAGES ARE ALLOWED.