

AMBLYOPIA  
(LAZY EYE)

UNDERSTAND MORE ABOUT  
**AMBLYOPIA**  
(LAZY EYE)



Tomorrow's Eye Care, Today<sup>®</sup>



Singapore National  
Eye Centre

SingHealth

# Amblyopia (Lazy Eye)

## What is amblyopia?

Amblyopia, commonly known as lazy eye, is a condition where vision does not develop properly during early childhood.

After the age of seven to eight years, the development of the part of the child's brain that processes vision is almost complete. If the brain has not received clear images from the weak eye prior to that, it would be difficult to improve vision in that eye after the visual part of the brain development is complete. The eye is then said to be "amblyopic" or "lazy". If left untreated, visual impairment can become permanent.

## What causes amblyopia?

The main causes of amblyopia are uncorrected high refractive error (astigmatism, hyperopia, myopia), large differences in refractive power between the two eyes, and/or squint (strabismus). A minority are due to conditions that obstruct vision, such as droopy eyelids and childhood cataracts.

## How do I know if my child has amblyopia?

Children with amblyopia often do not complain of poor vision, and the problem may only be detected when vision testing is done.

Occasionally, parents may notice a squint (where one eye appears to be misaligned), or a droopy upper eyelid in their children.

## How is amblyopia diagnosed?

Amblyopia is typically detected during an eye check-up since the child is usually too young to complain of poor vision. This should be carried out around the age of four by the family doctor, paediatrician or ophthalmologist.

## What is the treatment for amblyopia?

To correct amblyopia, the child needs to be encouraged to use the lazy eye. This is usually done by patching the good eye, often for several hours a day.

Patching therapy may take months or even years, and is often more effective when it is started at a younger age. The basis of patching is to allow the lazy eye to be used more often than the other eye so that the lazy eye gets a chance to develop normal vision. If spectacles are required, the child must wear it at all times.




Illustration: Child with eye patch

# Amblyopia (Lazy Eye)

When amblyopia is detected too late (beyond 8 years old), it may not be possible to reverse the visual impairment. It is therefore important that you have your child's eyes checked if you suspect a visual problem, or are advised by the school health services to consult an ophthalmologist.

# LOCATION MAP



## Legend

MRT Station

Taxi Stand

East West Line

North East Line

Shuttle Bus Service  
Mon to Fri ( 8.00am - 7.00pm )  
Sat ( 8.00am - 2.00pm )

Opp Outram Park Stn  
Bus No. 33, 63, 75, 121,  
122, 174, 174e, 851, 970

Outram Park Stn Exit F  
Bus No. 61, 124, 143, 147,  
147e, 166, 197, 961, 961C

Outram Park Stn/Outram Rd  
Bus No. 33, 63, 75, 121, 122, 174,  
174e, 534, 535, 549, 761, 851, 970

This patient information leaflet is a general guide to help patients understand specific eye conditions, treatment or tests. The information does not replace the need for individual advice from an ophthalmologist. Please consult with your ophthalmologist about your specific eye condition and/or concerns.

The contents of this leaflet are not to be produced in any form without the prior permission of the Singapore National Eye Centre.

Information correct at date of print (March 2020)

Singapore National Eye Centre Company Registration No. 198900840W

## Singapore National Eye Centre

11 Third Hospital Avenue, Singapore 168751

Appointments: (65) 6227 7266 Fax: (65) 6226 1884

Email: [appointments@sneec.com.sg](mailto:appointments@sneec.com.sg)

Website: [www.sneec.com.sg](http://www.sneec.com.sg)